

Навигационные лидары AS-31/32C

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: auh@nt-rt.ru || сайт: <https://akusense.nt-rt.ru>

TOF principle



Basic Features	Working principle		TOF	
	Optical working principle		Diffuse Reflection	
	Light source		Infrared laser (905nm)	
	Laser spot exit aperture		7*3mm	4.5*2mm
	Scanning angle		270°	
	Scanning angle resolution		0.12°/0.18°/0.23°/0.35°	
	Measuring range		0.1m~20m (70% reflectivity) ; 0.1m - 10m (10% reflectivity)	
	Measurement Error	Resolution	1cm	
		Linearity	2cm	
Electrical data	Indicator		-	
	Operating voltage		DC 12V	DC 9~28V
	Power consumption		5W	
	Communication		Ethernet or RS485	
Environmental conditions	Operating temperature		-20°C~60°C	
	Storage temperature		-20°C~70°C	
	Operating humidity		93%,+40°C,2h(GB/T2423.3)	
	Ambient Illumination		≤80,000Lux	
	Vibration resistance		500m/s (about 50G), 3 times each in XYZ direction	
	Enclosure rating		IP65(GB4208~2008)	
Mechanical data	Connection		Cable Connection	
	Dimension		60×60×84.9(mm)	60×60×81.3(mm)
	Material		Aluminum Alloy	
	Weight		0.25kg	
	Accessories		DC5521 female power socket, RJ45 Ethernet male	
Special function	Safety class		Class I(GB 7247.1-2012, human eye safety)	
	Laser spot emission angle		5.2*9mrad	4.0*2mrad
	Scanning frequency		10Hz/15Hz/20Hz/25Hz/30Hz	
	Working condition		Indoor	
	Application		Navigation	
	Device self-test		Yes	
	Abnormal alarm function		Yes	
	Sampling frequency		30KHz	
Model		AS-31C		AS-32C

LiDAR Scanner

AS-33C



TOF principle

CE




Basic Features	Working principle	TOF
	Optical working principle	Diffuse Reflection
	Light source	Infrared laser (905nm)
	Laser spot exit aperture	4.5(V)*2(H)mm
	Scanning angle	270°
	Scanning angle resolution	0.5°
	Measuring range	10 m (70%reflectivity) /4 m (10%reflectivity)
	Measurement error	±2 cm(≤10m)
	Indicator	4 (3 zone signals, 1 fault signal)
Electrical data	Operating voltage	DC 9 V ~28 V
	Power consumption	Rated power: < 1 W (no load); starting power: < 3 W (no load)
	Communication	USB-TYPE C(Serial port)
Environmental conditions	Operating temperature	-10°C~50°C
	Storage temperature	-20°C~70°C
	Operating humidity	85% or less, non-condensing
	Ambient Illumination	≤80000 Lux
	Vibration resistance	500m/s (about 50G), 3 times each in XYZ direction
	Enclosure rating	IP65
Mechanical data	Connection	Cable Connection
	Dimension	50x50x72mm
	Material	Aluminum
	Weight	171 g
	Accessories	Threaded
Special function	Sampling frequency	18KHz/54KHz
	Response time	40 ms
	Start-up time	<10s
	Model	AS-33C


Unit:mm

Dimensions


AS-31C



AS-32C



AS-33C



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: auh@nt-rt.ru || сайт: <https://akusense.nt-rt.ru>